



# AMERICAN BEARING MFG.CORP.



6.693 Inch | 170 Millimeter x 11.024 Inch | 280 Millimeter x 3.465 Inch | 88 Millimeter SKF 23134 CCK/C3W33 Spherical Roller Bearings

Bearing No. 23134 CCK/C3W33

23134 CCK/C3W33 Bearing 2D drawings and 3D CAD models

|                           |  |
|---------------------------|--|
| Category                  | Spherical Roller Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | SKF  |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 20.86  |
| EAN                       | 7316576601811  |
| Product Group             | B04311   |
| Internal Clearance        | C3-Loose   |
| Mounting Method           | Adapter Mount  |
| Rolling Element           | Spherical Roller Bearing   |
| Bore Profile              | Tapered  |
| Cage Material             | Steel  |
| Enclosure                 | Open   |
| Number of Rows of Rollers | Double Row   |
| Relubricatable            | Yes  |
| Withdrawal Sleeve         | AH3134 (Specify bore)  |
| Withdrawal Nut            | KM38   |
| Inch - Metric             | Metric   |
| Long Description          | 170MM Tapered Bore; 280MM Outside Diameter; 88MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu |



## AMERICAN BEARING MFG.CORP.

|                              |   |
|------------------------------|---|
| Other Features               | Order adapter or withdrawal sleeve or nut separately. Others may be available     |
| Category                     | Spherical Roller Bearing  |
| UNSPSC                       | 31171510  |
| Harmonized Tariff Code       | 84823080  |
| Noun                         | Bearing   |
| Keyword String               | Spherical   |
| Manufacturer URL             | <a href="http://www.skf.com">http://www.skf.com</a>                               |
| Weight / LBS                 | 45.942  |
| B                            | 3.465 Inch   88 Millimeter  |
| Adapter Part Number          | SNW3134 H3134 HA3134 HE3134 (Specify bore) Inch   H3134 (Specify bore) Millimeter |
| D                            | 11.024 Inch   280 Millimeter  |
| d                            | 6.693 Inch   170 Millimeter   |
| bore diameter:               | 170 mm  |
| maximum rpm:                 | 2400 RPM  |
| outside diameter:            | 280 mm  |
| operating temperature range: | Maximum of +390 ° F   |
| overall width:               | 88 mm   |
| cage material:               | Steel   |
| bore type:                   | Tapered 1:12  |
| bearing material:            | Steel   |
| outer ring type:             | Not Split   |
| cage type:                   | Inner Ring Guided   |
| internal clearance:          | C3  |
| precision rating:            | Not Rated   |
| closure type:                | Open  |
| finish/coating:              | Uncoated  |
| lubrication hole type:       | Lubrication Groove & Hole   |
|                              |   |



## AMERICAN BEARING MFG.CORP.

|                        |         |
|------------------------|---------|
| outer ring width:      | 88 mm   |
| dynamic load capacity: | 1040 kN |
| fillet radius:         | 2 mm    |
| static load capacity:  | 1500 kN |
| series:                | 231     |